


NOTES: 1. ROADSIDE SWALE SUBMERGED ZONE AND EXTENDED DETENTION DEPTH PROVIDE TEMPORARY STORAGE SATISFYING STORMWATER RETENTION REQUIREMENTS OF GROUNDWATER RECHARGE SYSTEM
2. REQUIRED STORAGE OF 240 MM PROVIDED IN TYPICAL SOLUTION AS 100 MM EXTENDED DETENTION DEPTH AND 400 MM OF 35% POROSITY SELECT FILTER MATERIAL



| | | | |
|---|----------|---|---|
| Martens & Associates Pty Ltd ABN 85 070 240 800 | | Environment Water Wastewater Geotechnical Civil Management | |
| Drawn: | MGD | TYPICAL BIOSWALE SECTION MUNDAMIA, NSW | Drawing No. ID: |
| Approved: | AN | | 8K001 |
| Date: | 14/08/13 | | |
| Scale @A3: | 1:25 | 927 Leighton Place, Hornsby, NSW 2077 Australia Phone: (02) 9476 9886 Fax: (02) 9476 8787 Email: info@martens.com.au Internet: www.martens.com.au | Project: P1502781 File: J002V01 Revision: A |

© Copyright Martens & Associates Pty Ltd
This drawing shall not be reproduced or transmitted in any form or by any means electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without the prior written permission of Martens & Associates Pty Ltd.